(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 13 May 2004 (13.05.2004)

PCT

(10) International Publication Number WO 2004/039515 A1

(51) International Patent Classification⁷: 53/08

B21D 53/04,

(21) International Application Number:

PCT/JP2003/013523

(22) International Filing Date: 23 October 2003 (23.10.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2002-315134 60/428,922 30 October 2002 (30.10.2002) JP 26 November 2002 (26.11.2002) US


- (71) Applicant (for all designated States except US): SHOWA DENKO K.K. [JP/JP]; 13-9, Shiba Daimon 1-chome, Minato-ku, Tokyo 105-8518 (JP).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): KAIMURA, Satoru [JP/JP]; c/o SHOWA DENKO K.K., OYAMA REGIONAL OFFICE, 480, Inuzuka 1-chome, Oyama-shi,

Tochigi 323-8678 (JP). TAMURA, Takashi [JP/JP]; c/o SHOWA DENKO K.K., OYAMA REGIONAL OFFICE, 480, Inuzuka 1-chome, Oyama-shi, Tochigi 323-8678 (JP).

- (74) Agents: HIBI, Norihiko et al.; c/o KISHIMOTO & CO., 3rd Floor, Inaba Building, 13-18, Nishishinsaibashi 1-chome, Chuo-ku, Osaka-shi, Osaka 542-0086 (JP).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

[Continued on next page]

(54) Title: SEMIFINISHED FLAT TUBE, PROCESS FOR PRODUCING SAME, FLAT TUBE, HEAT EXCHANGER COMPRISING THE FLAT TUBE AND PROCESS FOR FABRICATING THE HEAT EXCHANGER



(57) Abstract: A semifinished flat tube 30 is for use in producing a flat tube 1 comprising an upper and a lower wall 2, 3 opposed to each other, and left and right opposite side walls 4, 5 interconnecting the upper and lower walls 2, 3 at opposite side edges thereof. The semifinished flat tube is produced from a metal plate 15 having two flat first portions 17, 18 for making the upper and lower walls 2, 3, a second portion 16 interconnecting the two first portions 17, 18 integrally for forming the right side wall 5, and two third portions 9, 10 projecting upward from the respective first portions 17, 18 integrally with the first portion each at a side edge thereof opposite to the second portion 16 for making the left side wall 4, by bending the metal plate 15 to the shape of a hairpin at the second portion 16 to cause the third portions 9, 10 to butt against each other. The two third portions 9, 10 are joined to each other by laser welding intermittently from outside at a plurality of portions spaced apart longitudinally thereof.

WO 2004/039515 A1



Published:

- with international search report

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.